

CAM 8CH+2 POE SWITCH

8+2 port POE switch

Manufacturer: [AMIKO](#)

Description

8x 10/100M Ethernet ports with PoE support
2x 10/100/1000M (Gigabit) Ethernet ports
IEEE802.3af & IEEE802.3at PoE protocol support
Maximum 30W power output per interface
120W maximum combined power output
Automatic detection of Powered Devices
Flow control for Full Duplex operation

Network Connections:

Port 1-8: 10/100M with PoE
Port 9-10 (WAN1/2): 10/100/1000M
Transmission distance: ~100m (max.)
Transmission medium: CAT5/5e/6 standard network cable

Network Switch:

Network Standards: IEEE802.3/10 BASE-T Ethernet
IEEE802.3/100 BASE-TX Ethernet
IEEE802.3x Flow Control
IEEE802.3az

Maximum Frame Size: 1518 Bytes

MAC address list: 2K

PoE standard: IEEE802.3af & IEEE802.3at

Power over Ethernet:

PoE Power Supply Type: End-span (1/2+, 3/6-)

Power Supply:

Power Adapter Voltage: Input: 180-240V AC at 50/60Hz
Output: DC 48V

Power Consumption: 125W

Physical Specifications:

Dimensions (WxDxH): 216,8 mm x 159,6 mm x 29,6 mm
Working Temperature: 40°C ~ 55°C (5%-95%)
Storage Temperature: 20°C ~ 70°C
Weight: 1230g