

CAM KIT4800



2 Mpix, 4 WiFi Camera-9 channel NVR kit

Manufacturer: [AMIKO](#)

Description

2 Megapixel wifi dome camera wifi built-in microphone

- Image Sensor: 1/2.7" SuperPix 2 CMOS sensor
- Resolution: 2MP 1080P
- Effective Pixels: 1920(H)*1080(V)
- Compression: H.264/H.264+/H.265/H.265+/-
- TV System: JPEG/AVI /MJPEG / PAL/NTSC
- Electronic Shutter Time: Auto: PAL 1/25-1/10000Sec; NTSC 1/25-1/10000Sec
- S/N Ratio: ? 52dB
- Scanning System: Progressive
- Video Output: Network
- Reset Button: Optional

LENS Type

- Focus Length: 3.6mm
- Focus Control: Fixed
- Lens Type: Fixed
- Pixels: 2M Pixels

Night Vision

- Infrared LED 14? x 12PCS
- Infrared Distance: 20M

***NEW* Surveillance Systems: CAM KIT4800**

- IR Status: Auto Control
- IR Power: On Auto Control

NVR 4CH WIFI FULL HD

- Main Processor ARM Cortex A7 Quad coreProcessor
- Operating System Embedded LINUX

Video

- Input 9 Channel (WIFI IP Camera/Wired IP Camera), Support 2592x1944, 2048x1536,1920x1080,1280x960, 1280x720
- Output 1 VGA, 1 HD

Audio

- Input / Output 1 Port RCA(Linear, 1k)
- Audio Bit Rate 64kbps
- Audio Compression standard G711u, G711a, G726

Alarm

- Sensor Input: NO
- Output: NO
- Motion Detection 9 Channel, MD Zones: 396 (22 × 18)
- Trigger Events Recording, Email, FTP, Snapshot, Buzzer and Screen, Tips, alarm output

Network

- Interface: 1 RJ45 10M/100M Adaptive Ethernet Interface
- Incoming Bandwidth: 60MB
- Network Functions TCP/CP, HTTP, UPnP, DNS, NTP, SMTP, PPPoE, DHCP, FTP, DDNS, RTP, RTSP, RTCP, p2p
- Onvif Version Support: Onvif 2.4
- Web Browser IE8-11, Google Chrome (lower than Ver44), Firefox (lower than Ver53)
- CMS Software Support: Windows 7/ Windows 8/Windows 10
- Cloud Support(P2P): Yes
- Smart Phone iPhone, iPad, Android, Android Pad
- WIFI Support, WIFI Range: No Obstacles 300m Max.

Storage

- Interface Type: 1 SATA Hard Disk Interface (2.5"/3.5" SATA)
- Capacity: up to 8TB capacity

Package

1 x NVR 9CH WIFI FULL HD

4 x 2Mpix WIFI camera

1 x USB 2.0 Mouse

1 x DC power adapter 12V/2A for WIFI NVR

4 x DC power adapter 12V/0.5A for WIFI IP Camera

***NEW* Surveillance Systems: CAM KIT4800**

WIFI Range: No Obstacles 300m max.

2.8kg/SET

315x180x280mm