

NET CUD-GS1024



24-Port Gigabit Desktop Switch

Description

Specifications

Product Name	24-Port Gigabit Ethernet Switch	
Product Model	GS1024	
Chipset	RTL8382L+2*RTL8218B+2*RTL8231	
Standards	IEEE 802.3?IEEE 802.3u?IEEE802.3ab?IEEE802.3x?IEEE802.3az	
Number of Ports	24 x 10/100/1000Mbps Auto-Negotiation ports	
Network Media (Cable)	10Base-T: UTP category 3,4,5 cable (maximum 100m)	
	100Base-Tx: UTP category 5,5e cable (maximum 100m)	
	1000Base-T:UTP category 5e,6 cable (maximum 100m)	
Transfer Method	Store-and-Forward	
MAC Address Table	8K	
Switching Capacity	48Gbps	
Packet Forwarding Rate	35.7Mbps	
Packet Buffer	4.1 Mbit	
Jumbo Frame	9K Bytes	
LED indicators	Per-Port	10M/100M Link/ACT?Orange
		1000M Link/ACT?Green
Power Supply	Per Device	Power ?Green
Power Consumption	AC 100-240V/50-60Hz 12//1.5A internal power	
Dimensions (W x D x H)	Maximum: 15W(220V/50Hz)	
Environment	440*140*44mm	
	Operating Temperature: 0? ~ 40?	
	Storage Temperature: -40? ~70?	
	Operating Humidity: 10%~90% non-condensing	
	Storage humidity: 5%~90% non-condensing	